

GEN²

OTIS

OI-9100-X WireFree Viewer

Handheld Signal Strength Meter

The Otis Instruments WireFree OI-9100 Series Handheld Signal-Strength Meter is engineered to show the status of any GEN II WireFree Gas Detector, Transmitter or Repeater that is within range. Featuring a four-line scrollable display, the OI-9100 will show the radio address, gas level reading, RF signal strength, time since last message, sensor type, gas type and the remaining battery voltage, if applicable, of each detector within range.



Product Features

- Signal-Strength Meter
- Rechargeable Lithium-Ion Battery - Up to 16 Hours of Runtime per Charge
- Operating Temperature Range of 0°C to +50°C
- 4x20 Character LCD Display
- Push-Button Knob Interface - Rotate Knob to Scroll Sensors; Press to Show Additional Information
- Radio Options: 900 MHz Radio or 2.4 GHz Radio
- Alarm LED - Press and Hold Knob to Disable Alarm Mode
- Aluminum Enclosure
- 1-Year Limited Hardware Warranty

OI-9100-X Product Specifications

Product Specifications	
Product Type	Signal-Strength Meter
Power Type	Battery-Powered
Operating Voltage	(3.7 V) Lithium Ion Rechargeable Batteries
Battery Life	Up to 16 Hours Continuous Use Battery Life per Charge
Display Screen	4x20 Character LCD Screen
Interface	Push-Button Knob
Customizable Setting Alarm Indicator	Option to Disable Red Alarm LED
T _{amb} Temperature Range	0°C to +50°C (32°F to +122°F)
WireFree (Digital) Input	Up to 255 GEN II WireFree Gas Detectors
Product Compatibility	GEN II WireFree Sensors (OI-6000, OI-6900, OI-6940) GEN II WireFree Transmitters (OI-5900, OI-5950) GEN II WireFree Repeater (OI-9900)
WireFree Radio Options	GEN II 900 MHz Radio GEN II 2.4 GHz Radio
Network Selectors	52 Networks (GEN II 900 MHz Radio) 78 Networks (GEN II 2.4 GHz Radio) 255 Addresses per Network
Enclosure Material	Aluminum Device Enclosure
Product Dimensions	4.875 in. L x 4 in. W x 1.188 in. H (Max. Dimensions w/ Attachments)
Total Weight	1.15 lbs.
Hardware Warranty	1-Year, Limited
Part Number Formula	OI-9100-[Radio] OI-9100-X